



PRO 2500- \$399 USD

The PRO 2500 (formerly the PROline 2500), is the open counterpart to the PRO 750. Using the same 40mm Titanium-plated Mylar drivers, the open earcups of the PRO 2500 create a sound that is even more rich and true to life making it the perfect headphones for serious audiophiles as well as legendary studio professionals. If you're looking for a second set or back-ups for your current monitors or speakers then the PRO 2500s are the headphones for you. Updated for 2008, the PRO 2500 now features thicker earpads and headband pad, brushed aluminum nameplate on the earcups and a nylon hardcase to protect your headphones on the go

Best For: Mixing, Mastering, Critical Listening

S-Logic™

Ultrasonic headphones with patented S-Logic™ are the first headphones to utilize your entire ear in the listening experience. Through the use of decentralized driver positioning, S-Logic™ headphones aim the sound at the outer ear or pinna. Because the sound does not go directly down your ear canal as with conventional headphones, but instead filters off the outer ear as you listen and perception of distance, depth and instrument placement are greatly enhanced. You can hear the mix exactly as the engineer heard it in the studio.

Safer Hearing

An added benefit of S-Logic technology is an up to 40% (3-4dB) drop in SPL (sound pressure levels) for the same perceived volume. This means the Ultrasones put less pressure on your eardrum than any other headphones. Because of this, the risk of hearing damaged is greatly reduced and you can listen for longer without fatigue.

Tech Specs

S-Logic™ Natural Surround Sound

Dynamic principle

40mm Titanium-plated Mylar driver

Frequency range 8 Hz-35 kHz

Impedance 40 Ohm

Max sound pressure level 94 dB

MU Metal bufferboard, ULE Standard 98%

Recommended minimum burn-in time: 24 hours

Weight 295 g (without cord)

Long-term availability of spare parts

PRO Box contains

Professional headphones

2 detachable cables: one straight (length 3 m),
one coiled (length > 3 m) with gold-plated jacks 6.3 mm
and gold-plated adapter 6.3/3.5 mm

Spare pair of speed-switch ear pads

Demo CD

Instruction manual

For more information:

Visit us at www.ultrasoneusa.com

Or contact us at info@ultrasoneusa.com or 615.599.4719

